

WS-12-250-DC

Netonix-01

Total Throughput
TIME NOT SET
Input Voltage: 23.9 V
Input Current: 0.4 A

414.63

TX Kbps

42

TX pps

22.54

RX Kbps

18

RX pps

Total 0W

7.4

 250W

Status

Ports

VLANs

LAG

STP

QoS

Tools ▾

ERPS

Power

Device ▾

Utilities ▾

Save/Apply

Log

☒ Switch

☐ Linux

☐ All

Clear

Email

Dec 31 20:07:19 UI: Log cleared by admin (::ffff:172.20.43.250)

Dec 31 20:07:36 Port: link state changed to 'down' on port 2

Dec 31 20:07:36 STP: msti 0 set port 2 to discarding

Dec 31 20:07:36 STP: msti 1 set port 2 to discarding

Dec 31 20:07:36 STP: msti 2 set port 2 to discarding

Dec 31 20:07:49 Port: link state changed to 'up' (1G) on port 2

Dec 31 20:07:49 STP: msti 0 set port 2 to discarding

Dec 31 20:07:49 STP: msti 1 set port 2 to discarding

Dec 31 20:07:49 STP: msti 2 set port 2 to discarding

Dec 31 20:07:49 STP: msti 0 set port 2 to learning

Dec 31 20:07:49 STP: msti 0 set port 2 to forwarding

Dec 31 20:07:49 STP: msti 1 set port 2 to learning

Dec 31 20:07:49 STP: msti 1 set port 2 to forwarding

Dec 31 20:07:49 STP: msti 2 set port 2 to learning

Dec 31 20:07:49 STP: msti 2 set port 2 to forwarding